	DEQ AIR QUALIT 1410 N. Hilton, Bo For assistance, ca Air Permit Hotlin	oise, ID 83706 all the							Р	ERMITTO	CONSTR	RUCT APP	LICATION Revision 3 4/5/2007
			H	Please see instr	ructions on pag	je 2 before fillin	g out the form.						
Company Name:	Formation Capital	I Corp, USA.											
Facility Name:	Idaho Cobalt Proj	ect											
Facility ID No.:													
Brief Project Description:	Cobalt mine and r	mill.											
	SUMMAF	RY OF EMIS	SIONS INC	REASE (PR	OPOSED P	TE - PREVIO	USLY MOD	ELED PTE)	- POINT SC	URCES			
1.	2.							3.					
	A CONTRACTOR	PI	VI ₁₀	S	O ₂	N	O _X	C	0	V	oc	Le	ead
Emissions units	Stack ID	lb/hr	T/yr	lb/hr	T/yr	lb/hr	T/yr	lb/hr	T/yr	lb/hr	T/yr	lb/hr	T/yr
					Point So	ource(s)							

Instructions for Form EI-CP3

This form is designed to provide the permit writer and air quality modeler with a summary of the change in criteria pollutant emissions of each emission unit/point associated with this permit application. This information may be used by the IDEQ to perform an air quality analysis or to review an air quality analysis submitted with the permit application or requested by the IDEQ.

Please fill in the same company name, facility ID number, and brief project description as on form CS in the boxes provided. This is useful in case any pages of the application get separated.

- 1. Provide the name of the emission unit. This name should match names on other submittals to IDEQ and within this application.
- 2. Provide the identification number for the stack which the emission unit exits.
- 3. Provide the increase in emissions in pounds per hour and tons per year for all criteria pollutants emitted by this emission unit. In this form, increase in emissions for an emission unit are the proposed PTE Previously modeled PTE. If the emission point has or will have control equipment or some other proposed permit limitation such as hours of operation or material usage, then, the control efficiency or proposed permit limit(s) may be used in calculating proposed potential to emit.

NOTE: Attach a separate sheet of paper, or electronic file, to provide additional documentation on the development of the emission rates. Documentation can include emissions factors, throughput, and example calculations.



Underground emissions from mine P1601 or 3001

DEQ AIR QUALITY PROGRAM 1410 N. Hilton, Boise, ID 83706 For assistance, call the Air Permit Hotline - 1-877-5PERM

PERMIT TO CONSTRUCT APPLICATION

Revision 3 4/5/2007

Air Permit Hotline - 1-877-5PERMIT Please see instructions on page 2 before filling out the form. Company Name: Formation Capital Corp, USA. Facility Name: Idaho Cobalt Project Facility ID No .: Brief Project Description: Cobalt mine and mill. SUMMARY OF EMISSIONS INCREASE (PROPOSED PTE - PREVIOUSLY MODELED PTE) - FUGITIVE SOURCES 1. 2. Air Pollutant Maximum Change in Emissions Rate (lbs/hr or t/yr) SO, NOx CO PM₁₀ VOC Lead T/vr lb/hr lb/hr lb/hr lb/hr T/vr lb/hr T/yr T/vr T/vr lb/hr T/vr **Fugitive Source Name Fugitive ID** Fugitive Source(s) Ore Stockpile EP301 0.02 0.00 **EP302** 0.00 1200-LD-201- Tram Bin to Coarse 0.00 Loader grab from Coarse Ore Stoc **EP303** 0.00 0.00 **EP401** 0.01 0.00 Waste Rock Stockpile **EP402** 0.00 0.00 1200-LD-201- Tram Bin to Waste 0.03 Loader grab from Waste Rock Sto **EP403** 0.01 **EP404** 0.01 0.03 Loader dump Waste Rock Stockp 0.00 Conc bldg tailings pile **EP501** 0.00 0.00 Loader grab from Tailings Stockpil EP502 0.00 Loader dump Tailings to Truck **EP503** 0.00 0.00 TWSF Waste Rock truck dumping **EP601** 0.00 0.00 **EP602** 0.28 0.20 TWSF area management 0.02 **EP603** 0.60 TWSF wind eroision Truck Dumps Tailings TWSF **EP604** 0.00 0.00 3.82 5.74 Roads (max of 3 scenarios) EP901 or 902 0.15 0.25 Loader Traffic EP1001 1200-BN-201 - Mined Rock to Train EP1101 0.00 0.00 0.00 EP1102 0.00 1200-FE-201 - Bin to Tram Loader drop to Primary Crusher fee EP1201 0.04 0.07 EP1401 0.00 0.00 1200-BN-203 - Fine Ore Bin (in) 1200-BN-203 - Fine Ore Bin (out) EP1402 0.00 0.00 EP1501 0.01 0.00 Cement Silo (in) EP1502 0.00 0.00 Cement Silo (out) fully enclosed

4.82

0.55

4.69

18.98

18.48

1.67

1.56

0.57



DEQ AIR QUALITY PROGRAM 1410 N. Hilton, Boise, ID 83706 For assistance, call the

PERMIT TO CONSTRUCT APPLICATION

Revision 3 4/5/2007

The state of the s	Air Permit Hotline	e - 1-877-5PER	RMIT	2.4.									4/5/200
			Pi	ease see instr	uctions on page	e 2 before fillin	g out the form.						
Company Name:	Formation Capital	Corp, USA.											
Facility Name:	Idaho Cobalt Proje	ect											
Facility ID No.:													
Brief Project Description:	Cobalt mine and m												
E SENTENCE AND A SERVICE	SUMMARY	OF EMISSI	ONS INCRE	ASE (PROF	POSED PTE	- PREVIOU	SLY MODE	LED PTE) -	FUGITIVE S	OURCES			
1.	2.				Air Pollut	ant Maximu		3. in Emission	ıs Rate (Ibs	hr or t/yr)			
		PM ₁₀		SO ₂		NO _X		со		voc		Lead	
Fugitive Source Name	Fugitive ID	lb/hr	T/yr	lb/hr	T/yr	lb/hr	T/yr	lb/hr	T/yr	lb/hr	T/yr	lb/hr	T/yr
					Fugitive S	ource(s)							
Load /Unload at Topsoil stockpile	EP1701	0.00	0.00							-1-			
Topsoil Stockpile	EP1702	0.29	0.01										
Truck Dump Crusher Ore Pile (no t	EP1301	0.00	0.00										
Mined Rock truck dump (no tram s	EP1303	0.00	0.00										
Loader grab from mined rock pile (EP1304	0.05	0.10										
Mined Rock stockpile (no tram sce	EP1302	0.01	0.00										
Truck Dump Crusher Ore Pile (no	EP2001	0.00	0.00										
Total		6.87	8.14	0.57	0.55	4.82	4.69	18.98	18.48				

	DEQ AIR QUALITY 1410 N. Hilton, Boi For assistance, cal Air Permit Hotline	se, ID 83706 I the	RMIT						Р	ERMIT TO	CONSTR	UCT APPL	Revision 3 4/5/2007
			P	lease see instri	uctions on pag	e 2 before fillin	g out the form.						
Company Name:	Formation Capital (Corp, USA.											
Facility Name:	Idaho Cobalt Projec	ct											
Facility ID No.:													
Brief Project Description:	Cobalt mine and m	ill.											
	SUMMARY	OF EMISSIO	ONS INCRE	ASE (PROF	OSED PTE	- PREVIOU	SLY MODE	LED PTE) -	FUGITIVE S	OURCES			
1.	2.				Air Pollu	tant Maximu		3. in Emission	ıs Rate (Ibs	/hr or t/yr)			
		PN	/I ₁₀	S	02	N	O _X	С	0	V	ЭС	Le	ad
Fugitive Source Name	Fugitive ID	lb/hr	T/yr	lb/hr	T/yr	lb/hr	T/yr	lb/hr	T/yr	lb/hr	T/yr	lb/hr	T/yr
				233	Fugitive S	ource(s)							

Instructions for Form EI-CP4

This form is designed to provide the permit writer and air quality modeler with a summary of the change in criteria pollutant emissions of each emission unit/point associated with this permit application. This information may be used by the IDEQ to perform an air quality analysis or to review an air quality analysis submitted with the permit application or requested by the IDEQ.

Please fill in the same company name, facility name, facility ID Number, and brief project description as on Form CS in the boxes provided. This is useful in case any pages of the application get separated.

- 1. Provide the name of the emission unit. This name should match names on other submittals to IDEQ and within this application.
- 2. Provide the identification number for the fugitive source. This ID should match IDs on other submittals to IDEQ and within this application.
- 3. Provide the increase in emissions in pounds per hour and tons per year for all criteria pollutants emitted by this fugitive source. In this form, increase in emissions for an emission unit are the proposed PTE Previously modeled PTE. If the fugitive source has or will have control equipment or some other proposed permit limitation such as hours of operation or material usage, the control efficiency or proposed permit limit(s) may be used in calculating proposed potential to emit.


NOTE: Attach a separate sheet of paper, or electronic file, to provide additional documentation on the development of the emission rates. Documentation can include emissions factors, throughput, and example calculations.





FIGURE 6-1A PLOT PLAN IDAHO COBALT PROJECT AIR PERMIT APPLICATION

August 2008



Form MI

All information required for form MI, all pages, is included in the modeling report in Section 7.0 (BPIP building data in Attachment 4 of Appendix E). This information is also included on the electronic data files submitted on CD-ROM.



PERMIT TO CONSTRUCT APPLICATION

Revision 3 03/26/07

Please see instructions on page 2 before filling out the form.

	IDENTIFICATION	N					
Company Name:	Facility Name:		Facility ID No:				
Formation Capital Corporation, U.S.	Idaho Cobalt P	roject					
Brief Project Description: Cobalt Mine	and Mill						
	APPLICABILITY DETE	RMINATION					
Will this project be subject to 1990 CAA Section 112(g	3)?	⊠ NO	☐ YES*				
(Case-by-Case MACT)		* If YES, applicant must submit an application for a case-t case MACT determination [IAC 567 22-1(3)"b" (8)]					
Will this project be subject to a New Source Performance Standard? (40 CFR part 60)		□NO	⊠ YES*				
(40 of K pair 60)		*If YES, please identify sub-part: LL, IIII					
Will this project be subject to a MACT (Maximum Achi regulation?	ievable <u>C</u> ontrol <u>T</u> echnology)	⊠ NO	☐ YES*				
(40 CFR part 63)		*If YES, please identify sub-part:					
THIS ONLY APPLIES IF THE PROJECT EMITS A HAZARDOUS A	IR POLLUTANT						
 Will this project be subject to a NESHAP (<u>N</u>ational <u>E</u>mission <u>S</u>tandards for <u>H</u>azardous <u>Air P</u>ollutants) regulation? (40 CFR part 61) 		⊠ NO	☐ YES*				
		*If YES, please identify sub-part:					
5. Will this project be subject to PSD (Prevention of Sign (40 CFR section 52.21)	ificant <u>D</u> eterioration)?	⊠ NO	YES				
6. Was netting done for this project to avoid PSD?		⊠ NO	☐ YES*				
o. vvas hetting done for this project to avoid PSD?		*If YES, please attach netting calculations					

Appendix B

Equipment List

Source ID	Source
EP101	1900-GE-901 - Generator
EP201	1200-DC-201 - Crushing Dust Collector
EP301	Ore Stockpile
EP302	1200-LD-201- Tram Bin to Coarse Ore Stockpile
EP303	Loader grab from Coarse Ore Stockpile
EP401	Waste Rock Stockpile
EP402	1200-LD-201- Tram Bin to Waste Rock Stockpile
EP403	Loader grab from Waste Rock Stockpile
EP404	Loader dump Waste Rock Stockpile into Truck
EP501	Conc bldg tailings pile
EP502	Loader grab from Tailings Stockpile
EP503	Loader dump Tailings to Truck
EP601	TWSF Waste Rock truck dumping
EP602	TWSF area management
EP603	TWSF wind erosion
EP604	Truck Dumps Tailings TWSF
EP901	Roads (tram scenario)
EP901	Roads (no tram scenario)
EP902	Roads (Sunshine Portal scenario)
EP1001	Loader Traffic
EP1101	1200-BN-201 - Mined Rock to Tram Bin
EP1102	1200-FE-201 - Bin to Tram
EP1201	Loader drop to Primary Crusher feed bin
EP1301	Mined Rock truck dump
EP1302	Mined Rock stockpile
EP1303	Loader grab from mined rock pile
EP1304	Loader drop to Truck
EP1401	1200-BN-203 - Fine Ore Bin (in)
EP1402	1200-BN-203 - Fine Ore Bin (out) fully enclosed
EP1501	1400-SI-401 - Cement Silo (in)
EP1502	1400-SI-401 - Cement Silo (out) fully enclosed

Source ID	Source
EP1601	Underground emissions vented from Ram Portal
EP1701	Load /Unload at Topsoil stockpile
EP1702	Topsoil Stockpile
EP2001	Truck Dump Crusher Ore Pile (no tram scenario)
EP 3001	Underground emissions vented from Sunshine portal

- Notes: 1. Universally represents tram scenario only emissions 2. Universally represents no tram scenario only emissions
 - 3. Universally represents Sunshine portal only